


PHILIP & TERESA
 1495 Happy Ridge Road
 Wellston, OH. 45654

SITE EVALUATION # 2010048
 SCALE: 1/4" = 10'

N

ELEVATIONS

(A)	100'	HOUSE OUTLET
(B)	97'8"	TANK INLET
(C)	97'6"	TANK OUTLET
(D)	95'2"	#1 DROP BOX IN
(E)	94'10"	#1 D/B OUTLET
(F)	93'2"	#2 D/B IN
(G)	92'10"	#2 D/B OUT
(H)	92'2"	#3 D/B IN
(I)	91'10"	#3 D/B OUT
(J)	91'2"	#4 D/B IN
(K)	90'10"	#4 D/B OUT
(L)	90'2"	#5 D/B IN
(M)	89'10"	#5 D/B OUT



NOTES:

- 1500 GALLON, 2-COMPARTMENT SEPTIC TANK
 - 2- BAFFLE TEG, 1- EFFLUENT FILTER
- 5 DROP BOXES
- 150 INFILTRATOR EQ 24 LOW PROFILE LEACHING CHAMBERS
 - 10 END CAPS.
- 70'- 4" SCH. 40
 - 2- 45°, 1- CLEANOUT
- 100'- 4" SDR 35

SPECIAL NOTES

- 1.) ALL SYSTEM COMPONENTS ARE MORE THAN 10' FROM PROPERTY LINES, DRIVE & WATER LINES
- 2.) 4" SCH. 40 FROM HOUSE TO TANK TO #1 DROP BOX.
- 3.) 4" SDR 35 BETWEEN DROP BOXES & INTO END CAP TO BEGIN LEACH LINES.

LAYOUT & DRAWING BY HSTS Designs, LLC
 RETAINING THE EXCLUSIVE RIGHTS TO BOTH
 7-29-2010